



window field (vertex OR vertices OR mesh) (property OR properties OR ch

Search

Web Show options...

Results 1 - 10 of about 2,020,000 for **window field (vertex OR vertices OR mesh) (property OR properties**

### Applied Electromagnetics Using Quickfield & Matlab - Google Books Result

by J. R. Claycomb · 2009 · Technology & Engineering · 400 pages  
Figure 4.5 shows the **window** for editing **vertex** label data for electrostatics problems.  
Uniform Electric **Field** and Dipole Sources Assuming a rectangular ...  
books.google.com/books?isbn=076377751X...

shielded rfi and emc filters allyl carbonate or cr39 embedded **mesh** ...  
The general **properties** of laminated **windows** are: Micro - fine **mesh** is laminated ...  
Performance of an ITO **window** will depend on its impedance and the **field** ...  
www.slatelastics.com/shielded-rfi-emc-filter-**windows**.htm · Cached · Similar

### Visual Basic :: How To Access Mesh Properties In VB.NET

Oct 1, 2007 ... How can I change the "Keep the taskbar on top of other **Windows**" property to unchecked at program start and then reset it before it ... gleicher Anzahl von **Vertices**. Das habe ich per **Vertex**-Buffer ge- .... How can I read Access **field properties** in VB6. eg: **Field** name, description, length, type etc. ...  
www.bigresource.com/VB-how-to-access-**mesh-properties**-in-VB-NET-CqnO103XON.html  
- Cached · Similar

### Optics Communications : Optimization of optical communication ...

In order to develop an optical communication **window mesh** with good optical ... According to Floquet's theorem, the scattered **field** integral equation for ... are the **characteristic** admittances of air and **window** substrate, respectively. ...  
linkinghub.elsevier.com/retrieve/pii/S0030401808006123 - Similar  
by J Tan · Related articles

### Inferring vertex properties from topology in large networks



Oct 27, 2008  
Inferring **vertex properties** from topology in large networks ... With collapsed Gibbs sampling it can be estimated for networks of 106 **vertices** or more ...  
videlectures.net/mlg07...aukia\_ivp/

### Structured mesh generation and adjustment

Structured Grid dialog **window**: no automatic **mesh** refinement and phase ... the structured **mesh** is 0.005 m as indicated in the dialog **field** Default Grid: edge ... Change of the structured **mesh properties** at the auxiliary line at the side ...  
www.cgi-erlangen.com/downloads/Manual/ch05s04s01.html · Cached · Similar

### Sell Offers & Products of Anping bohua wire mesh factory

... spiral fabric, has the **characteristic** of stable **property** and long work time .The **mesh** is extensively used for producing cardboard, Kr.. ... and exporter in insect screen **field** **Window** screening is used for industrial purposes, ... To see our intellectual **property** policy and for infringement claims click here. ...  
www.tradekey.com/.../Anping-bohua-wire-**mesh**-factory.htm · Cached · Similar

### 1.13 Fields: Search and Display **Properties** with MARC

For example, a search on Serodiagnosis in **MeSH** 2000 will yield: .... 1.13.7 **Field 7 Results Display Properties**: multiple, tab stop ... Simple Title Bar: the Search Results **windows** typically display the reason for the ... Control Fields Coded Values will also display the **Property Leader & Control Fields names**. ...  
[maple.cybertoolsforlibraries.com/.../OPACUSER197.html](http://maple.cybertoolsforlibraries.com/.../OPACUSER197.html) - Cached - Similar

**MeshGeometry3D.Positions Property** (System.Windows.Media.Media3D)  
Gets or sets a collection of **vertex** positions for a MeshGeometry3D. ... Identifier **field**.  
PositionsProperty. Metadata **properties** set to true. None. Remarks. The points specified by this **property** represent the **vertices** of the ... that make up each triangle of the **mesh** are specified) determines whether a given face is ...  
[msdn.microsoft.com/.../system.windows.media.media3d.meshgeometry3d.positions.aspx](http://msdn.microsoft.com/.../system.windows.media.media3d.meshgeometry3d.positions.aspx) - Cached - Similar

### UV Editor

**Properties**: Opens the UV editor **property window** where various editor settings can ... you can reduce excessive UV **mesh** complexity so that a suitable subset of data is ... UV coords and my\_custom\_uv: This menu group shows all UV type **vertex** ... This object type not only allows several UV channels mapped to **vertices**, ...  
[www.realsoft.com/realsoft/reference/.../windows/uvview.html](http://www.realsoft.com/realsoft/reference/.../windows/uvview.html) - Cached - Similar

1 2 3 4 5 6 7 8 9 10      **Next**

---

window field (vertex OR vertices OR mesh) (property OR properties OR cha

**Search**

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve -  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



(window OR GUI OR desktop) field (vertex OR vertices OR mesh) (property)

Search

[Web](#) [Show options...](#)

Results 1 - 10 of about 2,000,000 for (window OR GUI OR desktop) field (vertex OR vertices OR mesh) (p

### Gmsh 2.3: Mesh module

The **mesh** module commands mostly permit to modify the **characteristic** lengths and specify structured ... or in the **GUI** by selecting 'Apply as background **mesh**' in the ... A **MathEval field** specifies the size of the **mesh** using an explicit mathematical function. ....

**Coherence Mesh**;; Removes all duplicate **mesh vertices**. ...

[www.geuz.org/gmsh/doc/textinfo/gmsh\\_7.html](http://www.geuz.org/gmsh/doc/textinfo/gmsh_7.html) - [Cached](#) - [Similar](#)

### Applied Electromagnetics Using Quickfield & Matlab - Google Books Result

by J. R. Claycomb · 2009 · Technology & Engineering · 400 pages

Figure 4.5 shows the **window** for editing **vertex** label data for electrostatics problems. Uniform Electric **Field** and Dipole Sources Assuming a rectangular ...

[books.google.com/books?isbn=076377751X...](http://books.google.com/books?isbn=076377751X...)

### Adaptive Meshing Increases Confidence by Desktop Engineering

Jul 27, 2009 ... Also, if the **mesh** poorly represents the solution, errors in the fundamental **field properties** or satisfaction of boundary can be an indicator ...

[www.deskeng.com/articles/aaarxr.htm](http://www.deskeng.com/articles/aaarxr.htm) - [Cached](#) - [Similar](#)

### Optics Communications : Optimization of optical communication ...

In order to develop an optical communication **window mesh** with good optical ... According to Floquet's theorem, the scattered **field** integral equation for ... are the **characteristic** admittances of air and **window** substrate, respectively. ...

[linkinghub.elsevier.com/retrieve/pii/S0030401808006123](http://linkinghub.elsevier.com/retrieve/pii/S0030401808006123) - [Similar](#)

by J Tan · [Related articles](#)

### Changing the properties of a sketch - ArcGIS Desktop Help 9.1

You can insert **vertices** either before or after the **vertex** that you ... Click the z or m **field** in the table and type a new value. ... If you want the curve to have a specific radius, you can **set** the radius from the Fillet Options **window**. ...

[webhelp.esri.com/arcgisdesktop/.../index.cfm?...Changing%20the%20properties%20of%20a%20sketch](http://webhelp.esri.com/arcgisdesktop/.../index.cfm?...Changing%20the%20properties%20of%20a%20sketch) - [Cached](#) - [Similar](#)

### Structured mesh generation and adjustment

Structured Grid dialog **window**: no automatic **mesh** refinement and phase ... of the structured **mesh** is 0.005 m as indicated in the dialog **field** Default ... lines will be indicated in the grid **properties** at the line **GUI** box. ... Change of the structured **mesh properties** at the auxiliary line at the side of the numerical ...

[www.cgi-erlangen.com/downloads/Manual/ch05s04s01.html](http://www.cgi-erlangen.com/downloads/Manual/ch05s04s01.html) - [Cached](#) - [Similar](#)

### Sell Offers & Products of Anping bohua wire mesh factory

... spiral fabric, has the **characteristic** of stable **property** and long work time .The **mesh** is extensively used for producing cardboard, Kr. ... and exporter in insect screen **field**

**Window** screening is used for industrial purposes, ... To see our intellectual **property** policy and for infringement claims click here. ...

[www.tradekey.com/.../Anping-bohua-wire-mesh-factory.htm](http://www.tradekey.com/.../Anping-bohua-wire-mesh-factory.htm) - [Cached](#) - [Similar](#)

### 1.13 Fields: Search and Display Properties with MARC

For example, a search on Serodiagnosis in **MeSH** 2000 will yield: .... 1.13.7 **Field 7** Results Display **Properties**: multiple, tab stop ... Search Results windows typically display the reason for the **window** in the **window's** title bar, ... Fields Coded Values will also display the **Property** Leader & Control Fields names. ....  
[maple.cybertoolsforlibraries.com/~JOPACUSER197.html](http://maple.cybertoolsforlibraries.com/~JOPACUSER197.html) - Cached - Similar

Visual Basic :: How To Access **Mesh Properties** in VB.NET  
Oct 1, 2007 ... There is only one private **property** (the string of course), ... gleicher Anzahl von **Vertices**. Das habe ich per **Vertex-Buffer** ge- ... Then I tried to read the **properties** of the conditional format I just created, in the Debug **window**: .... How can I read Access **field properties** in VB6. eg: **Field** name, ...  
[www.bigresource.com/VB-how-to-access-mesh-properties-in-VB-NET-CgnOr03XON.html](http://www.bigresource.com/VB-how-to-access-mesh-properties-in-VB-NET-CgnOr03XON.html) - Cached - Similar

[solved] Duplicate live **desktop** folders from new PC added to **mesh**  
Jun 16, 2009 ... I synced a folder on my home pc giving it a different live **mesh** name (ie ... "Live **Mesh** Options" - "Change sync settings" - **field** Location is ... Now go back to the Live **Desktop** and select the folder **properties** again ...  
[social.microsoft.com/.../LiveMesh/.../7ec98b15-3188-4b46-8a7f-5645d1408b01](http://social.microsoft.com/.../LiveMesh/.../7ec98b15-3188-4b46-8a7f-5645d1408b01) - Cached - Similar

1 2 3 4 5 6 7 8 9 10      **Next**


---

(window OR GUI OR desktop) field (vertex OR vertices OR mesh) (property)

Search within results - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



window application GUI field (property OR properties OR characteristic OR

Search

[Web](#) [Show options...](#)Results **1 - 10** of about **826,000** for **window application GUI field (property OR properties OR characteristic**

### Introduction to the Swing **Application** Framework - NetBeans IDE ...

Integration of framework features in the IDE's **GUI Builder**. ... button next to its action **property** in the **Properties window**. ... If you are creating a new action, use this text **field** to name the action method to be generated. ...  
[www.netbeans.org/kb/60/java/gui-saf.html](http://www.netbeans.org/kb/60/java/gui-saf.html) · [Cached](#) · [Similar](#)

### Example: Constructing a panel with the **GUI Builder**

**GUI Builder windows**: Changing text in the **Properties window**. Text **field** ... Figure 3: **GUI Builder windows**: Setting the Data Class **property** .... Here is what the **window** looks like when the **application** is compiled and run: ...  
[publib.boulder.ibm.com/infocenter/...ibm.../pdmiindex.htm](http://publib.boulder.ibm.com/infocenter/...ibm.../pdmiindex.htm) · [Cached](#) · [Similar](#)

### Lesson: Using the NetBeans **GUI Builder** (The Java™ Tutorials ...

In the Projects pane, choose the Java **Application** type. ... **Properties Window**. A display of the **properties** of the component currently selected in the **GUI** ... In the Name **field** of the Add **Property** dialog box, type YourName and press OK. ...  
[www.j2ee.me/docs/books/tutorial/javabeans/nb/index.html](http://www.j2ee.me/docs/books/tutorial/javabeans/nb/index.html) · [Cached](#) · [Similar](#)

### StudioTips - **GUI - Entry Fields**

Each entry **field** has a \$dataname **property**. The \$dataname points the entry ... entry **field** in a **window** or a complex grid there are 2 entry **field properties** ... In my **application** we have **windows** for Timesheet entry, Purchase Order entry ...  
[www.studiotips.net/docs/tips\\_gui/windows/entryfields.html](http://www.studiotips.net/docs/tips_gui/windows/entryfields.html) · [Cached](#) · [Similar](#)

### Creating a Simple C# **GUI Application** with Visual Studio - Techotopia

Jun 4, 2009 ... At the bottom of the **window** is a **field** for providing a project name. ... This and other **properties** relating to components are specified through the ... each component in the Form in turn and changing the (Name) **property**. ... You have now built for first **GUI based C# application** and are ready to ...  
[www.techotopia.com/.../Creating\\_a\\_Simple\\_C\\_Sharp\\_GUI\\_Application\\_with\\_Visual\\_Studio](http://www.techotopia.com/.../Creating_a_Simple_C_Sharp_GUI_Application_with_Visual_Studio) · [Cached](#) · [Similar](#)

### Stetic **GUI Designer** - MonoDevelop

Jul 3, 2009 ... We could build and run the **application** now, lets do that just for fun. ... Change its "Name" **property** in the **Properties** tab of the Widget **Properties** pad to ... MonoDevelop creates a **field** for every widget in the **window**. ...  
[monodevelop.com/Documentation/Stetic\\_GUI\\_Designer](http://monodevelop.com/Documentation/Stetic_GUI_Designer) · [Cached](#) · [Similar](#)

### [PDF] Lab 2 - Celsius to Fahrenheit Write a **GUI application** to convert ...

File Format: PDF/Adobe Acrobat - View  
 Disable the Fahrenheit text **field**. (The enabled **property** is in the Model category. ... As you change the names of the components in the **Properties Window**, ...  
[linux2-cs.johnabbott.qc.ca/~david/web.../Celsius\\_to\\_Fahrenheit.pdf](http://linux2-cs.johnabbott.qc.ca/~david/web.../Celsius_to_Fahrenheit.pdf) · [Similar](#)

### BH-**GUI** User Guide

Jun 5, 2009 ... BH-**GUI** is started automatically when running the **Windows** XP and ... Prior to starting BotHunter, all **fields** are blank. ... The Preferences option under File Menu allows

you to configure various **BH-GUI application** options. ... miscellaneous timing and control **properties** that **BH-GUI** will use when ...  
[www.bothunter.net/doc/gui.html](http://www.bothunter.net/doc/gui.html) - [Cached](#) - [Similar](#)

#### ICCCM - Client to **Window Manager** Communication

Clients writing or rewriting **window manager properties** must ensure that the entire ...  
**WM\_NAME** should not be used for **application**-critical information or to ..... Adding other **fields** to this **property** is reserved to the X Consortium. ...  
[tronche.com/gui/x/icccm/sec-4.html](http://tronche.com/gui/x/icccm/sec-4.html) - [Cached](#) - [Similar](#)

#### **Windows** Forms: A Modern-Day Programming Model for Writing GUI ...

**Windows** Forms are a new style of **application** built around classes in the . .... In **Windows** Forms, it's easy: you just write the color to a **property** ... I'll use more of these **properties** later on, but for now, **Text** is the only one you need. .... First you add a **field** (**NativeSize**) to store the user's preference. ...  
[msdn.microsoft.com/en-us/library/bb985977.aspx](http://msdn.microsoft.com/en-us/library/bb985977.aspx) - [Cached](#) - [Similar](#)

1 2 3 4 5 6 7 8 9 10      **Next**

---

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



window application GUI field (vertex vertices mesh geometry) (property OR

Search

[Web](#) [Show options...](#)Results 1 - 10 of about 4,590 for **window application GUI field (vertex vertices mesh geometry) (property**

### Network Transmission of 3D Mesh Data Using Progressive Representation

The **mesh geometry** can be denoted by a tuple  $(K, V)$  [2], ... Each **vertex** of the **mesh** is partitioned into a set of one or more wedges, and each ..., the same with active **property**. The number of faces and **vertices** in the **mesh** is displayed. ... Below the **properties window** there is a view manager where we can save same ...  
[www.springerlink.com/index/q5301621p117186.pdf](http://www.springerlink.com/index/q5301621p117186.pdf) - [Similar](#)  
 by K Skazbek · [Related articles](#)

### CUBIT 10.1 Release Notes

New GUI Panels. **Vertex** Type Editor. Create Beam Panel. **Geometry** Power Tool Enhancements .... **Property** Panel Enhancements: The **property** panel, introduced in Cubit ..., **geometry** and **mesh**. This includes attributes such as material **properties**, ... Assembly Tree: The standard Cubit **Geometry Tree Window** now incorporates ...  
[cubit.sandia.gov/release\\_notes/10.1.html](http://cubit.sandia.gov/release_notes/10.1.html) - [Cached](#) · [Similar](#)

### The LionSnake Modeler

The zoom no longer changes when the **application window** is resized. .... In **mesh** adding mode, when the user includes an existing **vertex** in the circuit of .... This is just like splitting, except that the **vertices** of the new **mesh** are .... Due to an inconsistency in the **Windows GUI**, some context menus appeared above ...  
[www.geocities.com/evilsnack/lionsnake.htm](http://www.geocities.com/evilsnack/lionsnake.htm) - [Cached](#) · [Similar](#)

### A comparison of mesh simplification algorithms - Elsevier

Quick Search, All **fields**, Author. Search tips (Opens new **window**) .... •Re-tiling: New **vertices** are inserted at random on the original surface **mesh**. .... Preserving **mesh characteristics** is evaluated in columns 10–12 in terms of: the ... methods based on a sequence of local updates to the **mesh geometry/topology**. ...  
[linkinghub.elsevier.com/retrieve/pii/S0097849397000824](http://linkinghub.elsevier.com/retrieve/pii/S0097849397000824) - [Similar](#)  
 by P Cignoni · 1998 · Cited by 310 · [Related articles](#)

### [doc] > TOOLS PROPOSED TO THE TOOL REPOSITORY

File Format: Microsoft Word - [View as HTML](#)  
 Triangle **mesh** simplification through **vertex** decimation with construction of a Multi-Triangulation. .... the subset of functionalities required by this **application field**. ... **properties** and also supports traversal on the **mesh vertices** together .... the manipulation of manifold 3D **mesh** data within a **Windows MFC GUI**. ...  
[www.aimatshape.net/.../Tools%20proposed%20for%20sharing%20in%20the%20DSW.doc](http://www.aimatshape.net/.../Tools%20proposed%20for%20sharing%20in%20the%20DSW.doc) - [Similar](#)

### The HOOPS 3D Graphics System

**Vertex** markers- The **vertices** of a shell/**mesh** are represented as markers which are .... The contents of their **field** of view is then mapped into a HOOPS/3dGS **window**. .... When the **application** needs to know what **geometry** the end-user is ... Typically, developers want to use HOOPS/3dGS with such **GUI** components as MFC ...  
[developer.hoops3d.com/.../Tech.../TechnicalOverview\\_C.html](http://developer.hoops3d.com/.../Tech.../TechnicalOverview_C.html) - [Cached](#) · [Similar](#)

modo 202 Reviewed, an ArchViz Tool - Welcome to CGarchitect.com

Let us move deeper into the **GUI** next. Everything is accessible from the main ... All the transforms have numeric entry's in the tool **properties** for very ... The Add **Geometry** section has some of the common **mesh** editing tools handy for use ... Join allows you to select **vertices** and join to the last **vertex** selected as ...

[www.cgarchitect.com/news/Reviews/Review052\\_1.asp](http://www.cgarchitect.com/news/Reviews/Review052_1.asp) - Cached - Similar

Technology Features - [www.AGE3D.org](http://www.AGE3D.org) - 3D engine - OpenGL & Direct3D **Geometry**. **vertex** declaration; **vertex** buffer; index buffer. **Mesh** ... modify the shape of selected faces, **vertices**, edges and objects. mirror, mirror a **mesh** ...

[www.age3d.org/index.asp?page0=container&page1...](http://www.age3d.org/index.asp?page0=container&page1...) - Cached - Similar

[PPT] slides - Computer Science Department at Princeton University

File Format: Microsoft Powerpoint - View as HTML

Projection **properties** of the camera (PROJECTION matrix in OpenGL): Depth of **field**? ...

glEnd(); // Sends all the **vertices**/normals to the OpenGL library. OpenGL: glBegin()... ...

OpenGL computes the color at each **vertex** with a shading calculation: ... GLUT is a very simple API that supports creating **GUI**+OpenGL apps. ...

[www.cs.princeton.edu/courses/archive/spr06/.../opengl\\_tutorial.ppt](http://www.cs.princeton.edu/courses/archive/spr06/.../opengl_tutorial.ppt) - Similar

Extensions:Py/Scripts/Manual/Export/DXF - BlenderWiki

This script exports **geometry** to DXF format (and optionally to DWG format). ... It is a **Windows** console **application** (DOS-Box) and run also on Linux and OSX (on Wine). ...

DWG file with file-selector or type filename direct into the text **field**. ... Supported Object types and **properties**: Blender AutoCAD **mesh-vertex** ...

[wiki.blender.org/index.php/Extensions:Py/Scripts/.../DXF](http://wiki.blender.org/index.php/Extensions:Py/Scripts/.../DXF) - Cached - Similar

1 2 3 4 5 6 7 8 9 10 Next

---

window application GUI field (vertex vertices mesh geometry) (property OR

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve -  
[Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)